

Montreal, October 29, 2019

Announcing, Aquatica's new housing for the 61.2 MP Sony A7rIV!!!

Available Dec. 2019

Aquatica, one of the pioneers in the underwater photo industry will soon be shipping their underwater housing designed specifically for the Sony A7rIV 61.2MP full frame mirrorless camera. Earning a Gold Award and a high score or 91% from the internet's leading camera review site, DPReview.com, the Sony A7rIV is sure to be a powerhouse for underwater digital imaging in both stills and video use.

About the Camera:

The Sony A7rIV is currently the highest resolution full frame mirrorless interchangeable lens camera currently available. The camera's 61.2 MP BSI CMOS sensor offers



15.5 stops of dynamic range and an astounding frame rate of 10fps at 61MP and a buffer depth of 30 frames (in True 14 bit RAW) lets still shooters capture peak action with ease. The camera is able to capture 4K UHD video in both full frame and Super 35 formats at up to 30fps. The Autofocus has been greatly improved over the A7rIII, with the video AF now upgraded to face and eye tracking. Twin UHS-II SDXC Card slots offer on camera backups for all shoots with no sacrifice on card write speeds. 5-axis image stabilization allows for smoother, more professional looking video. The FZ battery has been carried over and offers a much higher battery life.

The Housing:



The Aquatica A7rIV housing is one of the smallest yet most ergonomic housings on the market. The housing's design is centered on the user being able to concentrate more in the creation of their image rather than how to use the system. There will be much less figuring out of where controls are.

All the controls are set to be self centering and are spring loaded. The user only needs to set the camera on the tray and slide it into the housing, no alignment needed. Our designers utilized a new method to access the new joystick (crucial for selecting any one of the 567 AF points on the sensor). All of the buttons and dials on the housing are easily accessed without having to let go of the handles.



Since the camera is easily user customizable and the buttons mapped for any almost any purpose, everything is literally at the user's finger (or in this case, thumb) tips.

Of significant note, Back Button AF is fully supported with the housing. The AF-On control (6) is easily reached by the user's right thumb while the shutter release (2) is simultaneously reached with the user's forefinger. This lets the user continually track the subject in full auto focus and then fire the camera at the peak moment.

Right below the AF-On button is the Video Record button, this ergonomic placement is so the user will have no problems in accessing the still or video capture button.

What was previously an optional accessory, we are now **including** our field proven Surveyor Vacuum System (Pump, Valve and Sensor) as standard.



Specifications:

20087-NK-VC:	with double Nikonos connectors & Surveyor system installed
20087-KM-VC:	with one Ikelite connector & Surveyor system installed
20087-OPT-VC:	with dual optical connectors & Surveyor system installed
Composition:	Aerospace grade 6061 T6 Aluminium with a MIL-A-8625 Anodized coating and then finished with a baked on, super tough powder coat paint that is extremely abrasion resistant. Control Shafts and all push buttons are T304 Stainless Steel
HDMI:	Large 23.75mm (0.95 inch) HDMI Bulkhead opening for Monitor Cable
Depth Rating:	90m ~ 300 ft. Can be upgraded to 130m, ~ 450ft with our deep spring kit
Weight:	2.2 kg/4.8 lbs without handles, 2.6kg/5.7 lbs with handles
Dimensions:	250mm x 163mm x 127mm ~ 9.8" x 6.4" x 5" w/o handles
	350mm x 163 x 127mm ~ 13.8" x 6.4" x 5" with handles
Ports:	The A7rIV housing supports our full line of Domes, Macro Ports and Extension Rings

Supported Accessories:

Aqua View and Aqua View 45 viewfinders

🔶 Aquatica 5HD monitor

- Full Line of the Delta 3 Arm System
- Close-Up Lenses with Single and Dual Flip Filter Holders (in conjunction with our 18430 Mini Macro Port)



List of controls:

- 1. ON-OFF
- 2. Shutter button
- 3. C1 button
- 4. C2 button
- 5. Front Dial
- 6. AF-ON button
- 7. Record/movie button
- 8. AEL button
- 9. Mode dial
- 10. Exposure compensation dial
- 11. Rear dial
- 12. Multi-selector (ISO, Disp, Drive)
- 13. Fn button
- 14. Control wheel
- 15. C4 / Delete button
- 16. Zoom/focus knob
- 17. Menu button
- 18. C3 button
- 19. Playback button





Starting at \$ 2,949.00 USD

Surveyor Vacuum Valve and Pump Included

For more information, please contact: info@aquatica.ca Or Call 514-737-9481