



AQUATICA™

Digital

NIKON LENS CHART

AQUATICA™

Digital

4" glass dome port lens chart (# 18411)

* Neoprene cover # 18508 included with port

Camera Lens	Gear	Gear	Port
	Zoom	Focus	Extension
Nikon AF 10,5mm f/2,8 G ED DX	N/R	18699	N/R
Nikon AF 16mm f/2.8 D	(*1)		
Nikon AF-S Fisheye Nikkor 8-15mm F3.5-4.5 ED	49020	AF Only	48456
Sigma 10mm f/2.8 EX DC HSM Fisheye	(*2)		
Sigma 15mm f/2.8 EX DG Fisheye	(*2)		
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye	48717	AF Only	48460
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48731	AF Only	48453

OPTIONAL ACCESSORIES

Dome Shade	Dome Shade Cover	Rear Port Cover
Integrated to dome port	# 18508 included	18790
		18790
		18790
		18790
		18790
		18790

(*1) This lens does not focus close enough to be used with this dome port.

(*2) The lens shade length of this lens prohibit using it with this dome port, severe damages to the dome port surface could results from doing so

N/R= Not Required

6" acrylic dome port lens chart (# 18409)

* Neoprene cover # 18502 included with port

Camera Lens	Gear	Gear	Port
	Zoom	Focus	Extension
Nikon AF 10,5mm f/2,8 G ED DX	N/R	AF Only	N/R
Nikon AF 16mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 18mm f/2.8	N/R	AF Only	48456
Nikon AF 20mm f/2.8	N/R	AF Only	N/R
Nikon AF 24mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 28mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 18-55mm f/3.5-5.6G ED VR	48721	AF Only	48463
Nikon AF 18-70mm f/3.5-4.5 G ED (*1)	48696	AF Only	48453
Sigma 4.5mm f/2.8 EX DC HSM Circular Fisheye	N/R	AF Only	48456
Sigma 8mm f/3.5 EX DC HSM Circular Fisheye	N/R	AF Only	48456
Sigma 10mm f2.8 EX DC HSM Fisheye	N/R	AF Only	48456
Sigma 15mm f/2.8 EX DG Fisheye	48715	AF Only	N/R
Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (*1)	48719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC MACRO HSM (OS) (*1)	48719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC Macro HSM (OS) © (*1)	49008	AF Only	48462
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye	48717	AF Only	48460
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48731	AF Only	48453

OPTIONAL ACCESSORIES

Dome Shade	Dome Shade Cover	Rear Port Cover
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790

(*1) There are multiple version of this lens, please make sure that your lens fits the right description.

N/R = Not Required

Note on lens compatibility:

Nikon provides 2 types of sensors size, both having a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between FX sensors type lenses that will work on all of their DSLR camera body and the DX type which are designed from the onset to work with 1:5 ratio type sensor. Please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Nikon dealer or contact us at info@aquatica.ca

AQUATICA™

Digital

8" glass dome port lens chart (# 18408)

* Neoprene cover # 18501 included with port

Camera Lens	Gear	Gear	Port
	Zoom	Focus	Extension
Nikon AF 10,5mm f/2,8 G ED DX	N/R	AF Only	N/R
Nikon AF 14mm f/2.8D ED	N/R	48693	48456
Nikon AF 16mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 18mm f/2.8	N/R	AF Only	48456
Nikon AF 20mm f/2.8	N/R	AF Only	N/R
Nikon AF 24mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 28mm f/2.8 D	N/R	AF Only	N/R
Nikon AF-S Fisheye Nikkor 8-15mm f/3.5-4.5 ED	49020	N/R	N/R
Nikon AF-S 10-24mm f/3.5-4.5G IF-ED DX	48696	AF Only	48462
Nikon AF-S 12-24mm f/4G IF-ED DX	48696	AF Only	48462
Nikon AF-S 14-24mm f/2.8G ED NIKKOR (*2)	48722	AF Only	48458
Nikon AF-S 16-35mm f/4 G ED VR	48728	AF Only	48458
Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX (*1)	48696	AF Only	48462
Nikon AF-S 17-35mm f/2,8D IF-ED	48690	AF Only	48458
Nikon AF 18-55mm f/3.5-5.6G ED VR	48721	AF Only	48463
Nikon AF 18-70mm f/3,5-4,5 G ED (*1)	48696	AF Only	48453
Nikon AF-S 24-70mm f/2.8 G	48722	AF Only	48454
Sigma 10mm f/2.8 EX DC HSM Fisheye	N/R	AF Only	N/R
Sigma 10-20mm f/3.5 EX DC HSM	48770	AF Only	48462
Sigma 14mm f/2.8 EX ASPHERICAL HSM	N/R	AF Only	48462
Sigma 15mm f/2.8 EX DG Fisheye	N/R	48715	N/R
Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (*3)	48719	AF Only	48462
Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (OS) (*3)	48719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC MACRO HSM (OS) © (*3)	49008	AF Only	48457
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye	48717	AF Only	48456
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48731	AF Only	48453
Tokina AT-X 11-16mm f/2.8 AF PRO DX	48722	AF Only	48453
Tokina AT-X 12-24mm f/4 AF PRO DX	48722	AF Only	48453

OPTIONAL ACCESSORIES

Dome	Dome	Rear		
	Shade	Port		
		Cover		
INTEGRATED		18501	18790	
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790
			18501	18790

(*1) This lens requires a +3 diopter to focus on the virtual image of the dome
 (*2) Pre 2008 port may not fit due to the oversized nature of this lens.
 (*3) There are multiple versions of this lens, please confirm that your lens actually fits this description
 N/R = Not Required

Note on lens compatibility:

Nikon provides 2 types of sensors size, both having a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between FX sensors type lenses that will work on all of their DSLR camera body and the DX type which are designed from the onset to work with 1:5 ratio type sensor. Please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Nikon dealer or contact us at info@aquatica.ca

AQUATICA™

Digital

9.25" glass dome port lens chart (# 18407)

* Neoprene cover # 18506 included with port

Camera Lens	Gear	Gear	Port
	Zoom	Focus	Extension
Nikon AF 10.5mm f/2.8 G ED DX	N/R	AF Only	N/R
Nikon AF 14mm f/2.8D ED	N/R	48693	48456
Nikon AF 16mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 18mm f/2.8	N/R	AF Only	48456
Nikon AF 20mm f/2.8	N/R	AF Only	N/R
Nikon AF 24mm f/2.8 D	N/R	AF Only	N/R
Nikon AF 28mm f/2.8 D	N/R	AF Only	N/R
Nikon AF-S Fisheye Nikkor 8-15mm f/3.5-4.5 ED	49020	N/R	N/R
Nikon AF-S 10-24mm f/3.5-4.5G IF-ED DX	48696	AF Only	48462
Nikon AF-S 12-24mm f/4G IF-ED DX	48696	AF Only	48462
Nikon AF-S 14-24mm f/2.8G ED NIKKOR (*2)	48722	AF Only	48458
Nikon AF-S 16-35mm f/4 G ED VR	48728	AF Only	48458
Nikon AF-S 16-85mm f/3.5-5.6 G ED VR DX (*1)	48696	AF Only	48462
Nikon AF-S 17-35mm f/2.8D IF-ED	48690	AF Only	48458
Nikon AF 18-55mm f/3.5-5.6G ED VR	48721	AF Only	48463
Nikon AF 18-70mm f/3.5-4.5 G ED (*1)	48696	AF Only	48453
Nikon AF-S 24-70mm f/2.8 G	48722	AF Only	48454
Sigma 10mm f/2.8 EX DC HSM Fisheye	N/R	AF Only	N/R
Sigma 10-20mm f/3.5 EX DC HSM	48770	AF Only	48462
Sigma 14mm f/2.8 EX ASPHERICAL HSM	N/R	AF Only	48462
Sigma 15mm f/2.8 EX DG Fisheye	N/R	48715	N/R
Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (*3)	48719	AF Only	48462
Sigma 17-70mm f/2.8-4.5 DC MACRO HSM (OS) (*3)	48719	AF Only	48462
Sigma 17-70mm f/2.8-4 DC MACRO HSM (OS) © (*3)	49008	AF Only	48457
Tokina AT-X 10-17mm f/3.5-4.5 AF DX fisheye	48717	AF Only	48456
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48731	AF Only	48453
Tokina AT-X 11-16mm f/2.8 AF PRO DX	48722	AF Only	48453
Tokina AT-X 12-24mm f/4 AF PRO DX	48722	AF Only	48453

OPTIONAL ACCESSORIES

Dome	Dome	Rear		
	Shade	Port		
	Shade	Cover		
INTEGRATED		18506	18790	
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790
			18506	18790

(*1) This lens requires a +3 diopter to focus on the virtual image of the dome
 (*2) Pre 2008 port may not fit due to the oversized nature of this lens.
 (*3) There are multiple versions of this lens, please confirm that your lens actually fits this description
 N/R = Not Required

Note on lens compatibility:

Nikon provides 2 types of sensors size, both having a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between FX sensors type lenses that will work on all of their DSLR camera body and the DX type which are designed from the onset to work with 1:5 ratio type sensor. Please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Nikon dealer or contact us at info@aquatica.ca

AQUATICATM

Digital

Mini Macro Port (#18432)

* 77mm lens cap included with port

Camera lens	Focus gear	Extension
Nikon AF Micro 60mm f/2,8D	49031	Not required
AF-S Micro Nikkor 60mm f/2.8G ED	49032	Not required
Nikon AF Micro 105mm f/2,8D	49013	48453
Nikon AF-S VR Micro-Nikkor 105mm f/2.8G IF-ED	49033	48456

OPTIONAL ACCESSORIES

77mm cover	Replacement lens	Rear Cover
(Included)	18587	18790

Flip Holder for Mini Macro Port

Single Flip Holder	19355
Double Flip Holder	19356
77mm to 67mm step down	19358
(+5) Wet Close Up lens	19352
(+10) Wet Close Up lens	19353