



AQUATICATM

Digital

CANON LENS CHART

For Canon cameras

4" Glass dome port lens chart (#18411)

* Neoprene dome cover # 18508 included with port

Camera lens	Zoom Gear	Focus Gear	PORT EXTENSION
Canon EF 8-15mm f/4L USM FISHEYE	49001	AF Only	48463
Canon EF 15mm f/2.8 Fisheye	*(2)		
Sigma 15mm f/2.8 EX DG Fisheye	*(3)		
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	47831	AF Only	48453

OPTIONAL ACCESSORIES		
Removable DOME SHADE	DOME SHADE COVER	REAR PORT COVER
Included	Included	18790
Included	Included	18790

*(2) This lens does not focus close enough to be used with this dome port.

*(3) The protruding length of this lens shade prohibits using it with this dome port, damages could result to the internal surface of the dome lens

N/R = Not Required

6" Acrylic dome port lens chart (#18409)

* Neoprene dome cover # 18502 included with port

Camera lens	Zoom Gear	Focus Gear	PORT EXTENSION
Canon EF 15mm f/2.8 Fisheye	N/R	48702	N/R
Canon EF 20mm f/2.8	N/R	AF only	48456
Canon EF 24mm f/1.4L II USM	N/R	49002	48456
Canon EF 8-15mm f/4L USM FISHEYE	49001	AF only	48463
Sigma 8mm F3.5 EX DG Circular Fisheye	N/R	AF only	48456
Sigma 10mm f/2.8 EX DC HSM Fisheye	N/R	AF only	N/R
Sigma 15mm F2.8 EX DG FISHEYE	N/R	18715	N/R
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye + 1.4x TC	48731	AF only	48456

OPTIONAL ACCESSORIES		
DOME SHADE	DOME SHADE COVER	REAR PORT COVER
18484	18504	18790
18484	18504	18790
18484	18504	18790
N/R	N/R	18790
N/R	N/R	18790
18484	18504	18790
18484	18504	18790
18484	18504	18790

*(1) There are multiple versions of this lens, please confirm that your lens fits this description

N/R = Not Required

Revised Jan.24, 2022

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca



Canon lens chart

8" Acrylic dome port lens chart (#18414)

* Neoprene dome cover # 18500 included with port

	Zoom Gear	Focus Gear	Port Extension
Camera lens			
Canon EF 14mm f/2.8 L TYPE II USM	N/R	48771	48461
Canon EF 14mm f/2.8 L <u>OLDER TYPE</u>	N/R	AF only	48462
Canon EF 15mm f/2.8 Fisheye	N/R	48702	N/R
Canon EF 20mm f/2.8	N/R	AF only	48455
Canon EF 24mm f/1.4L II USM	N/R	49002	48455
Canon EF 8-15mm f/4L USM FISHEYE	49001	AF only	48453
Canon EF 16-35mm f/2.8 L II USM	48708	AF only	48458
Canon EF 16-35mm f/2.8 L II USM *(2)	48708	19064	TBD
Canon EF 16-35mm f/4L IS USM	49009	AF Only	48477
Canon EF 16-35mm f/2.8 L III USM	49104	AF Only	48478
Canon EF 17-40mm F/4L USM	48708	AF only	48459
Canon EF 17-40mm F/4L USM *(2)	48708	19065	TBD
Canon EF 24-70mm f/2.8L USM Type II (newer type)	49004	AF only	48459
Canon EF 24-105mm f/4L USM *(1)	49005	AF only	48459
Sigma 8mm F3.5 EX DG Circular Fisheye	N/R	AF only	48455
Sigma 14mm F2.8 EX ASPHERICAL HSM	N/R	AF only	48461
Sigma 15mm F2.8 EX DG FISHEYE	N/R	48715	N/R
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye	48717	AF only	48455

Dome Shade	Dome Shade Cover	Rear Port Cover
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	N/R	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
N/R	N/R	18790
Built-In	18503.1	18790
Built-In	18503.1	18790
Built-In	18503.1	18790

*(1) This lens requires a + 3 diopter to focus on the virtual image of the dome

*(2) This port extension has a manual focusing knob and requires a focus gear.

N/R = Not Required

Revised Feb.2, 2022

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca



Canon lens chart

8" Glass dome port lens chart (#18408)

* Neoprene dome cover # 18500 included with port

(Also compatible with discontinued dome port #18405)

Camera lens	Zoom Gear	Focus Gear	Port Extension
Canon EF 14mm f/2.8 L TYPE II USM	N/R	48771	48462
Canon EF 14mm f/2.8 L OLDER TYPE	N/R	AF only	48453
Canon EF 15mm f/2.8 Fisheye	N/R	48702	N/R
Canon EF 20mm f/2.8	N/R	AF only	48456
Canon EF 24mm f/1.4L II USM	N/R	49002	48456
Canon EF 8-15mm f/4L USM FISHEYE	49001	AF only	48463
Canon EF 16-35mm f/2.8 L II USM	48708	AF only	48457
Canon EF 16-35mm f/2.8 L II USM ^{*(2)}	48708	19064	48464 ^{*(2)}
Canon EF 16-35mm f/4L IS USM	49009	AF Only	48459
Canon EF 16-35mm f/2.8 L III USM	49104	AF Only	48454
Canon EF 17-40mm F/4L USM	48708	AF only	48458
Canon EF 17-40mm F/4L USM ^{*(2)}	48708	19065	48465 ^{*(2)}
Canon EF 24-70mm f/2.8L USM Type II (newer type)	49004	AF only	48458
Canon EF 24-105mm f/4L USM ^{*(1)}	49005	AF only	48458
Sigma 8mm F3.5 EX DG Circular Fisheye	N/R	AF only	48456
Sigma 14mm F2.8 EX ASPHERICAL HSM	N/R	AF only	48462
Sigma 15mm F2.8 EX DG FISHEYE	N/R	48715	N/R
Tokina AT-X 10-17mm f/3.5-4.5 AF DX Fisheye	48717	AF only	48456

^{*(1)} This lens requires a + 3 diopter to focus on the virtual image of the dome

^{*(2)} This port extension has a manual focusing knob and requires a focus gear.

N/R = Not Required

Revised June 2, 2025

Dome Shade	Dome Shade Cover included	Rear Port Cover
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790
Built-in	18501	18790

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

AQUATICA™

Digital

9.25" Glass dome port lens chart (#18407)

* Neoprene dome cover # 18506 included with port

(Also compatible with discontinued dome port #18405)

Camera lens	Gear		Port
	Zoom	Focus	Extension
Canon EF 14mm f/2.8 L TYPE II USM	N/R	48771	48462
Canon EF 14mm f/2.8 L OLDER TYPE	N/R	AF only	48453
Canon EF 15mm f/2.8 Fisheye	N/R	48702	N/R
Canon EF 20mm f/2.8	N/R	AF only	48456
Canon EF 24mm f/1.4L II USM	N/R	49002	48456
Canon EF 8-15mm f/4L USM FISHEYE *(1)	49001	AF only	48463
Canon EF 16-35mm f/4L IS USM	49009	AF only	48459
Canon EF 16-35 mm f/2.8 L II USM	48708	AF only	48457
Canon EF 16-35 mm f/2.8 L II USM	48708	19064 ⁽²⁾	48464 ⁽²⁾
Canon EF 16-35mm f/2.8 L III USM	49104	AF Only	48454
Canon EF 17-40mm F/4L USM	48708	AF only	48458
Canon EF 17-40mm F/4L USM *(2)	48708	19065	48465 ⁽²⁾
Canon EF 24-70mm f/2.8L USM (older type) *(4)	48723	AF only	48458
Canon EF 24-70mm f/2.8L USM Type II (newer type)	49004	AF only	48458
Canon EF 24-105mm f/4L USM *(3)	49005	AF only	48458
Sigma 14mm F2.8 EX ASPHERICAL HSM	N/R	AF only	48462
Sigma 15mm F2.8 FISHEYE	N/R	48715	N/R

Optional accessories

Dome		Rear
Dome Shade	Shade Cover included	port Cover
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790
Built-In	18506	18790

*(1) This port has a built-in dome shade that prevents using the whole zoom range of this circular fisheye lens

*(2) This port extension has a manual focusing knob and requires a focus gear.

*(3) This lens requires a + 3 diopter to focus on the virtual image of the dome

*(4) Compatible with 5D Mk II (# 20062) housings only

Revised June 2, 2025

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca

AQUATICATM

Digital

Canon Lens chart

Mini Macro Port (#18432)		
* 77mm lens cap included with port	Focus	Port
Camera lens	Gear	Extension
Canon EF-S 60mm f/2.8 USM	49016	Not required
Canon EF 100mm f/2.8 USM	49018	48456
Canon EF 100mm f/2.8L IS USM	49015	48455

Optional Accessories		
77mm	Replacement	Rear
Cover	Lens	Cover
(included)	18587	18790

Flip Holder for Mini Macro Port	
Single Flip Holder	19355
Double Flip Holder	19356
77mm to 67mm step down	19358
(+5) Wet Close Up lens	19352
(+10) Wet Close Up lens	19353

AF Low Profile Macro Port (#18429)		
* Neoprene cover # 18508 Included with port	Gear	
Camera lens	Focus	Extension
Canon EF-S 60mm f/2.8 USM	49016	Not Required
Canon EF 100mm f/2.8 USM	49018	48458
Canon EF 100mm f/2.8L IS USM	49015	48458

OPTIONAL ACCESSORIES		
Neoprene cover	Replacement Lens	Rear Cover
18508 (Included)	18582	18790

Updated Jan.24, 2022

Note on lens compatibility:

Canon provides 3 types of sensors size, all of which have a direct impact on the field of view coverage of a specific lens, their lens lineup is also divided between EF type lenses that will work on all of their DSLR camera body and the EF-S type which are designed from the onset to work with 1:6 ratio type sensor, please make sure when selecting lenses that they are compatible with your camera model. If you have any question regarding a camera/lens compatibility, please contact your Canon dealer or contact us at info@aquatica.ca